

GuardShack's™ powdercoated steel enclosure line offers extensive protection for a wide variety of applications and in many price ranges. GuardShack™ Enclosures never have any sharp corners or edges & are always powdercoated to exacting standards for lasting durability and lower maintenance costs.

Small Powder-coated Enclosures

Our wide range of sizes can accommodate nearly any backflow device and also a wide range of valuable equipment such as pumps, meters and automatic control valves, etc. All tamper resistant hardware is supplied with each unit.

GuardShack™ manufactures enclosures that will accommodate over 4 dozen different backflow assemblies inside their rugged yet attractive units. Besides offering great vandal and theft protection, these beautifully designed enclosures, gracefully enhance the appearance of any building or site. Standard colors include our high gloss Forest Green and Woodland Tan.

Custom enclosures and colors are available (consult factory).

(Pre-manufactured pads shown throughout)



1-800-266-5411 / 602-426-1002 www.GuardShackEnclosures.com



HGS SERIES

The HGS is constructed with strong schedule 40 steel pipe and expanded metal. They come standard with our improved integrated Lock Shield Bracket designed to protect more styles of locks from bolt cutters.

(SHOWN WITH OPTIONAL ENCLOSURE SETTER)

INTERNAL MOUNTING: All mounting points on the HGS are internal and can not be accessed unless the cage is open. The HGS deters prying with only a 3/8" gap between the pad and enclosure.

HINGED GATE: Our body with gate design allows for full use of the HGS's internal dimensions, eliminating any clearance issues allowing a smaller enclosure to be used. Additionally only one lock is needed.

QUICK & SECURE INSTALLATION: For maximun security and easy installation, use the optional Enclosure Setter. The setter is simply laid into the wet concrete and the cage's hinges fasten to the protruding setter screws.



Large GuardShack™ Enclosures

Backflow enclosures for large devices no longer have to be unsightly! The GS-5 through GS-8.5 enclosures are GuardShack's attractive, powder-coated 2 piece clamshell models for $2\frac{1}{2}$ " through 8" backflow assemblies. GuardShack's GS-9 and GS-10 enclosures are by far the largest standard enclosures available in the industry. Constructed in 3 and 4 sections respectively, the unique telescoping ability of the GS-9 and GS-10 models, allows you to size them properly for all your 8"-10" assemblies. Use the GS-10 to cover and beautify extremely long units with attached meters, filters, automatic control valves, etc.

(See back page for sizing information)



Tall GuardShack™ Enclosures "M" series and "NP" series

These enclosures provide excellent vandal and theft protection for PVB and angle ("N") pattern devices. Our innovative designs allows for complete access by one person to service your taller backflow assemblies, irrigation controllers or other taller valuable equipment.

(See back page for sizing information)

GUARD SHACK **

Enclosures that Work Beautifully! 1-800-266-5411 www.GuardShackEnclosures.com

ECONO-GAGE"

Our Econo-CageTM is newly redesigned and offers the same quality as their big brother GuardShackTM line, but constructed of lighter tubular steel. This economical enclosure is beautiful yet extremely rugged and easy to install. The Econo-CageTM are lift-off style models which increases the amount of usable internal space. The Econo-CageTM offers the same warranty as the Guardshack line.

(See back page for sizing information)



GLOCKGUARD

Like the Econo-Cage™, our ClockGuard™ has been redesigned with tubular steel to give you a safer and attractive way to protect your irrigation controllers or other wall mounted equipment. Internal hinges add to the security.

Powder-coated grey standard.



ENGP !!

Save yourself the time, trouble and the expense of pouring a concrete pad for your backflow assembly.

<u>Use A Pre-Manufactured EncPad</u>TM!

Please see our accessory sheet for further information and sizing specifications on our pre-manufactured enclosure pads.



Sizing Charts & Fabrication Specifications

GuardShac	k Enclosures t	or 1/2" -	10" Standard	Rackflow A	Assemblies
UUUIUUJIIUU	V FIICIOSOIGS I	VI I/	IV SIUIIUUIU	DUCKIIUW /	423G111D11G2

MODEL	INTERNAL DIM.	TYPE	ENCPAD™ MODEL	ENCPAD™ DIM.	FROSTGUARD™ MODEL
GS5	10" W x 18" H x 12" L	LIFT-OFF	EP5	24" W x 24" L x 3" D	N/A
GS-1	10" W x 24" H x 22" L	LIFT-OFF	EP-1	24" W x 36" L x 3" D	FG-1
GS-2	10" W x 24" H x 30" L	LIFT-OFF	EP-2	24" W x 42" L x 3" D	FG-2
GS-3	10" W x 24" H x 40" L	HINGED	EP-3	24" W x 48" L x 3" D	FG-3
GS-3.3	16" W x 30" H x 30 ¼" L	LIFT-OFF	EP-2	24" W x 42" L x 3" D	FG-3.3
GS-4	16" W x 30" H x 46" L	HINGED	EP-4	30" W x 60" L x 3" D	FG-4
GS-4.5	16" W x 30" H x 64" L	2PC CLAMSHELL	N/A	N/A	N/A
GS-5	24" W x 40" H x 66" L	2PC CLAMSHELL	N/A	N/A	Consult Factory
GS-6	24" W x 40" H x 80" L	2PC CLAMSHELL	N/A	N/A	Consult Factory
GS-7	30" W x 48" H x 99 ½" L	2PC CLAMSHELL	N/A	N/A	Consult Factory
GS-8	38" W x 60" H x 99 ½" L	2PC CLAMSHELL	N/A	N/A	Consult Factory
GS-8.5	38" W x 60" H x 120" L	2PC CLAMSHELL	N/A	N/A	N/A
GS-9	38" W x 56¾" H x 149½" L	3PC CLAMSHELL	N/A	N/A	N/A
GS-10	38" W x 56¾" H x 200" L	4PC CLAMSHELL	N/A	N/A	N/A
HGS-1	10" W x 24" H x 22" L	HINGED GATE	Enclosure Set	ter ES-1	FG-1
HGS-2	10" W x 24" H x 30" L	HINGED GATE	Enclosure Setter ES-2		FG-2
HGS-3	10" W x 24" H x 40" L	HINGED GATE	Enclosure Set	ter ES-3	FG-3

GuardShack™ Tall Enclosure "M" Series					
MODEL	INTERNAL DIM.	TYPE	ENCPAD™ MODEL		
GS-M1	16" W x 37" H x 18" L	HINGED GATE	EP-M1		
GS-M2	16" W x 48" H x 18" L	HINGED GATE	EP-M1		
GS-M3	16" W x 37" H x 39½" L	2PC CLAMSHELL	EP-M3		
GS-M4	24" W x 48" H x 39½" L	2PC CLAMSHELL	EP-M3		

Econo-Cage™					
MODEL	INTERNAL DIM.	TYPE	ENCPAD™ MODEL		
EC-1	10" W x 24" H x 22" L	LIFT-OFF	EP-1		
EC-2	10" W x 24" H x 30" L	LIFT-OFF	EP-2		
EC-3	10" W x 24" H x 40" L	LIFT-OFF	EP-EC-3		
EC-3.3	13" W x 30" H x 30" L	LIFT-OFF	EP-2		
EC-4	13" W x 30" H x 40" L	LIFT-OFF	EP-EC-3		

GuardShack™ Fabrication Specifications:

11/4" Sch 40 A.S.T.M.-A-53 Gr.A.E.W. steel for end frames
1" x 1" x 1/8" steel angle iron 1/2" #13 ga. diamond pattern flat
rolled expanded steel with all welded construction 4" O/C
expanded metal die formed for uniformity.

	GuardShack™ Tall	Enclosure "N	IP" Series
MODEL	INTERNAL DIM.	TYPE	ENCPAD™ MODEL
GS-NP-1	24" W x 40" H x 311/4" L	HINGED GATE	N/A
GS-NP-1.5	24" W x 40" H x 381/4" L	HINGED GATE	N/A
GS-NP-2	30" W x 48" H x 47½" L	HINGED GATE	N/A
GS-NP-3	38" W x 60" H x 47½" L	HINGED GATE	N/A
GS-NP-3.5	38" W x 60" H x 581/4" L	HINGED GATE	N/A

	ClockGuard ™				
	MODEL	INTERNAL DIM.	TYPE		
ı	CG-1	11" W x 11" H x 6 ½" D	WALL MOUNT		
I	CG-2	17" W x 14" H x 7 ½" D	WALL MOUNT		

EconoCage™ Fabrication Specifications:

I" tubing .065 wall A.S.T.M. B338 steel I" x I" x I/8" steel angle iron $\frac{1}{2}$ " #13 ga. diamond pattern flat rolled expanded steel with all welded construction 4" O/C expanded metal die formed for uniformity.

ClockGuard™ Fabrication Specifications:

 3 /4" tubing .065 wall A.S.T.M. B338 steel 1 /2" \times 1 /2" \times 1/8" steel angle iron 1 /2" #13 ga. diamond pattern flat rolled expanded steel with all welded construction 2" O/C expanded metal die formed for uniformity.

POWDERCOAT SPECIFICATIONS:

State-of-the-art five part metal cleaning process and iron phosphate solution treatment. Units preheated before applying 1.5-2.0 mil thickness polyester powder to A.S.T.M. D-2794 Impact Resistant Specifications and A.S.T.M D-3359 Adhesive Specifications.

GuardShack warranties this product for one (1) year from date of purchase to be free of defects in material and workmanship. All claims must be made known to GuardShack in writing within 30 days of the defect becoming known to the purchaser. There are no warranties that extend beyond those described herein, either expressed or implied. GuardShack reserves the sole right, at it's own option, to repair or replace any defective product, and shall exclude any damage caused by accident, misuse or abuse of the product. In no case shall GuardShack be liable for any incidental or consequential damages what-so-ever.

GULLI SHAK

HGS SECURITY ENCLOSURE

The HGS Series is our most secure GuardShack Enclosure yet!

The HGS is constructed with strong schedule 40 steel pipe and expanded metal. They come standard with our improved integrated Lock Shield Bracket designed to protect more styles of locks from bolt cutters.



Enclosure Setter



Internal Mounting:

On the HGS all mounting points are internal and cannot be accessed unless the cage is opened. To deter prying of the cage, there is only a 3/8" gap between the pad and the enclosure.


Hinged With Gate:

Our body with gate design allows for full use of the HGS's internal dimensions, eliminating any clearance issues often allowing a smaller enclosure to be used. Additionally with this design, only one lock is needed.

Quick & Easy Installation:

For maximum security and easy installation the optional enclosure setter is available. Simply bolt the cage to the setter with the provided hardware, set in wet concrete and walk away!

Madal	Usable Dimensions			Enclosure
Model	W	Н	L	Setter
HGS-I	10"	24"	22"	ES-I
HGS-2	10"	24"	30"	ES-2
HGS-3	10"	24"	40"	ES-3



I-800-266-5411 www.GuardShackEnclosures.com



COAST GUARDSHACK STAINLESS STEEL ENGLOSURES


The Coast GuardShack™ Stainless Steel enclosure line offers extensive protection for a wide variety of applications.

Coast GuardShacks[™] are made of 304 stainless steel, electropolish treated to dissolve rustable carbon and are sandblasted for a smooth finish. Coast GuardShack[™] Enclosure's pioneering design ensures there are never any sharp corners or edges.

Most Coast GuardShacks™ enclosures, come standard with LockShield™ Brackets for maximum protection from bolt cutters and have an 8 year limited warranty. Our Enclosures come complete with all the necessary hardware to secure to our pre-manufactured EncPad™ Enclosure Pads or any concrete base.

Small and Large Stainless Steel Enclosures

- Rugged construction prevents vandalism and theft
- Unique, beautiful design safe for children and pedestrians
- Complete access for testing and service work
- Standard LockShield Brackets for maximum protection from bolt cutters
- Less than one hour installation time, using our pre-manufactured Enclosure Pad, the EncPad™
- FrostGuard™ Insulated Blankets available to protect assembly from occasional cold snaps





Small Coast GuardShack™ Enclosures

Just like our small GS series line, our CGS line of small enclosures can accommodate nearly any ½" thru 2" backflow device as well as a wide range of valuable equipment like pumps, meters and automatic control valves. Electropolished 304 stainless steel makes these the perfect enclosures for coastal or wet locations. (See back page for sizing information)



Large Coast GuardShack™ Enclosures

Backflow enclosures for large devices no longer have to be unsightly! GuardShack's attractive stainless steel 2 piece clamshell models open up to allow complete access to your $2\frac{1}{2}$ " thru 6" devices. Besides offering great vandal protection, these beautifully designed enclosures gracefully enhance the appearance of any building or grounds that they are installed at.

(See back page for sizing information)

COAST GUARDSHACK

Enclosures that Work Beautifully! 1-800-266-5411 www.GuardShackEnclosures.com

Tall Coast GuardShack™ Enclosures

CGS-M and CGS-NP series enclosures provide excellent vandal and theft protection. Our innovative design allows for complete access by one person to service your taller backflow assemblies, irrigation controllers or other valuable equipment.

(See back page for sizing information)



ENCRID

Save yourself the time, trouble and the expense of pouring a concrete pad for your backflow assembly.

Use A Pre-Manufactured EncPad!

Please see our accessory sheet for further information and sizing specifications on our pre-manufactured enclosure pads.



Sizing Charts & Fabrication Specifications

Coast GuardShack™ Enclosures for ½" - 10" Standard Backflow Assemblies

MODEL	INTERNAL DIM.	TYPE	ENCPAD™ MODEL	ENCPAD™ DIM.	FROSTGUARD™ MODEL
CGS5	10" W x 18" H x 12" L	Liftoff	EP5	24" W x 24" L x 3" D	N/A
CGS-1	10" W x 24" H x 22" L	Liftoff	EP-1	24" W x 36" L x 3" D	FG-1
CGS-2	10" W x 24" H x 30" L	Liftoff	EP-2	24" W x 42" L x 3" D	FG-2
CGS-3	10" W x 24" H x 40" L	Hinged	EP-3	24" W x 48" L x 3" D	FG-3
CGS-3.3	16" W x 30" H x 30 1/4" L	Hinged	EP-3.3	24" W x 42" L x 3" D	FG-3.3
CGS-3.5	16" W x 30" H x 40" L	Hinged	EP-3	24" W x 48" L x 3" D	FG-4
CGS-4	16" W x 30" H x 46" L	Hinged	EP-4	30" W x 60" L x 3" D	FG-4
CGS-4.5	16" W x 30" H x 64" L	2PC Clamshell	EP-4.5	24" W x 84" L x 3" D	N/A
CGS-5	24" W x 40" H x 66" L	2PC Clamshell	EP-5	36" W x 84" L x 3" D	FG-5
CGS-6	24" W x 40" H x 80" L	2PC Clamshell	N/A	N/A	Consult Factory

Coast	Guardshack™ 1	all Enclos	sure "M" Series
MODEL	INTERNAL DIM.	TYPE	ENCPAD™ MODEL
CGS-M1	16" W x 37" H x 18" L	HINGED/GATE	EP-M1
CGS-M2	16" W x 48" H x 18" L	HINGED/GATE	EP-M1
CGS-M3	16" W x 37" H x 39½" L	2PC Clamshell	EP-M3
CGS-M4	24" W x 48 H x 39½" L	2PC Clamshell	EP-M3

Coast Guardshack™ Tall Enclosure "NP" Series					
MODEL	INTERNAL DIM.	TYPE	ENCPAD™ MODEL		
CGS-NP-1	24" W x 40" H x 311/4" L	HINGED/GATE	EP-NP-1		
CGS-NP-1.5	24" W x 40" H x 381/4" L	HINGED/GATE	N/A		

It's no surprise that BPDI's two most popular Stainless Steel sizes are the CGS-I and CGS-2 models. Over four dozen different backflow assemblies fit inside these rugged yet attractive units, since these lift off models allow full use of the interior space. Both of these models, plus the tiny CGS-.5, are also very popular for light and battery powered timers, air/vacuum relief valves, gas valves and more. All units are also often used to cover dangerous, hard-to-see pedestrian trip hazards. All tamper proof SS hardware is supplied with unit.

Also Available for your SS Lift Off Model Enclosures:

- EncPad™ Enclosure Pads The pre-manufactured enclosure pad that's better than concrete. Now lift-off enclosures install in less than I hour, without concrete. The EncPad™ is a heavily ribbed, yet lightweight and resilient UV stabilized meter box type plastic pad, with a cut out to fit over an assembly. It uses the GuardShack PadLok™ anchoring system to securely clamp the pad to the pipe risers. The **EncPad™** removes and replaces in just minutes in the case of a leak under the pad, and is virtually indistinguishable from actual concrete.
 - FrostGuard™ Insulated Blankets Now in R-13 & R-30 models are perfectly sized to fit inside your Coast GuardShack™, (see above).
 - LockShield™ Brackets Designed to safeguard a unit from bolt cutters.

FABRICATION SPECIFICATIONS:

11/4" Sch 10 A.S.T.M.-A-312 Gr.A.E.W. 304 Stainless Steel pipe for end frames
1" x 1" x 1/8" 304 Stainless Steel angle iron base, raised 3/8" above slab
1" x 1" x 1/8" 304 Stainless Steel angle iron base, raised 3/8" above slab
2" #13 ga. diamond pattern flat rolled expanded 304 Stainless Steel with all welded
construction 4" O/C. Expanded metal die formed for uniformity
All Stainless Steel products sand blasted to remove the sharp edges and burrs inherent to all
SS expanded metal products. Finishes may vary due to the nature of sandblasting. All units given Electropolish treatment to draw out the (rustable) free carbon from enclosures for the best possible rust free finish available

WARRANTY:

GuardShack™ warranties this product for eight (8) years from date of purchase to be free of defects in material and workmanship. All claims must be made known to GuardShack™ in writing within 30 days of the defect becoming known to the purchaser. There are no warranties that extend beyond those described herein, either expressed or implied. GuardShack™ reserves the sole right, at it's own option, to repair or replace any defective product, and shall exclude any damage caused by accident, misuse or abuse of the product. In no case shall GuardShack™ be liable for any incidental or consequential damages what-so-ever.

> GuardShack Enclosures 1-800-266-5411 / 602-426-1002 www.GuardShackEnclosures.com



Some Of Our Top Selling Accessories:

FrostGuards: Further Protect Your Expensive Assemblies From Frost and Freeze With Our R13 & R30 Insulated Blankets

EncPads: Save Time and Money During Installations With Our Pre-Manufactured Backflow

Enclosure Pads

Pipe Supports: Provide Added Strength For Longer Assemblies

LockShield Brackets: Added Protection Against Bolt Cutters

All-Weather Padlocks: Our locks are designed to withstand the elements that can

normally rust and destroy padlocks

FROST GUARD



FrostGuard Insulated Blankets:

For excellent frost protection of your expensive assemblies, we offer the **FrostGuard Insulated Blanket**. Our rugged double stitched FrostGuards are insulated with top quality R13 or R30 value insulation.

They come standard in 9 different sizes that will accommodate almost any assembly. A standard padlock grommet helps to secure your FrostGuard while its great UV properties allow you to leave the blanket on year round! (see back page for sizing chart)



BlackJack Adjustable Pipe Supports

APS come standard with a "Set and Forget" hex adjustment nut with locking set screw for safety. We offer pipe supports in different sizes to accommodate pipes and valves up to 18". They come powdercoated black and in a wide variety of sizes, for different applications. All Hardware Is Included.

(See back page for sizing chart)

All-Weather Padlocks

Our high security brass and thermoplastic coated padlocks come with a key hole cover and "O" rings to help keep out dirt and debris, and prevent rust. Single packs are perfect for Hinged Model Enclosures, and Double Packs are perfect for Lift-Off, Gated and Clamshell model enclosures.





Available In:
Single Packs: <u>Keyed-Different</u>
(GS-AWKD)
or Double Packs: <u>Keyed-Alike</u>
(GS-AWKA)

GUARDSHACK ** ACCESSORIES

EncPad™

Manufactured Enclosure Bases

The Encpad[™] enclosure pad is designed to drastically reduce the amount of time it takes to install an enclosure; down to fi an hour in most cases.

Our Encpad[™] is constructed of ultra tough, resilient HPDE and is virtually indistinguishable from an actual concrete slab. It comes pre-cut for your application and complete with all the hardware necessary to install. It can be used with many of our GuardShack[™] & Econo-Cage[™] models. (See back page for sizing chart)



Never pour concrete again! Never a second trip to the jobsite to finish an installation!


LockShield Brackets

For extra protection against theft, we offer our **LockShield Brackets.** These attach to our enclosures and are designed to ward off bolt cutters. They can be ordered with new enclosures as well as retro-fitted for previously purchased GuardShacks. These come in standard powdercoated colors to match your GuardShack.



Bolt On Brackets

Bolt On Brackets are designed to convert your hinged GuardShack into a lift-off model for maximum use of internal dimension. These come in standard powdercoated colors to match your GuardShack.



GuardShack Enclosures

"Enclosures That Work Beautifully!"

I-800-266-5411

www.GuardShackEnclosures.com

FrostGuard Insulated Blankets					
Model #	Flat Dimensions	R13 Insulation	R30 Insulation		
FG-I	22" × 22"	Χ	Χ		
FG-2	22" x 30"	Χ	Χ		
FG-3	22" x40"	Χ	Χ		
FG-3.3	27" × 28"	Χ	Χ		
FG-4	27" × 46"	Χ	Χ		
FG-5	42" × 74"	Х	Χ		
FG-UN-4	47" × 92"	N/A	Χ		
FG-UN-6	54" X 108"	N/A	Χ		
FG-UN-8	65" X 125"	N/A	X		

EncPa	EncPad Pre-made Enclosure Bases					
EncPad Model #	Outside Pad Dimensions W x L x D	For Enclosure Model #'s				
EP5	24" × 24" × 3"	GS5				
EP-I	24" × 36" × 3"	GS-1 / CGS-1 / EC-1				
EP-2	24" x 42" x 3"	GS-2/CGS-2/EC-2/GS-3.3/EC-3.3				
EP-3	24" × 48" × 3"	GS-3 / CGS-3				
EP-EC-3	24" × 48" × 3"	EC-3 / EC-4				
EP-4	30" × 60" × 3"	GS-4 / CGS-4				
EP-M1	30" × 30" × 3"	GS-M1/M2 / CGS-M1/M2				
EP-M3	30" x 60" x 3"	GS-M3/M4 / CGS-M3/M4				

BlackJack Adjustable Pipe Supports				
Model #	SCH 40 Pipe	Adjustable Range*	Fits Pipe Diameter	
APS5	l"	10"-16"	2"-4"	
APS-I	1"	18"-30"	2"-4"	
APS-4	I I/2"	31"-36"	6"-10"	
APS-5	2"	31"-36"	12"-18"	

^{*} May be field cut to fit lower backflows.

Hardware Kits (Replacements)				
Hardware Kit #	GuardShack Type			
HK-100	All Lift Off			
HK-100-SS	All S.S. Lift Off			
HK-200	Hinged			
HK-200-SS	All S.S. Hinged			
HK-300	Clamshell			
HK-400	HGS Series			
HK-700	Large Clamshell			

GuardShack warranties this product for one (I) year from date of purchase to be free of defects in material and workmanship. All claims must be made known to GuardShack in writing within 30 days of the defect becoming known to the purchaser. There are no warranties that extend beyond those described herein, either expressed or implied. GuardShack reserves the sole right, at it's own option, to repair or replace any defective product, and shall exclude any damage caused by accident, misuse or abuse of the product. In no case shall GuardShack be liable for any incidental or consequential damages what-so-ever.

Please See our Web Site:

www.GuardShackEnclosures.com

for detailed specifications on all of our products.

VALVE STEM PROTECTORS

GS-VSP SERIES

Thieves Are Now Stealing The Brass Stems From Your Gate Valves

This disables your valve and causes extremely expensive repairs.

SECURITY FEATURES:

The GS-VSP secures on top of the gate valve, over the stem, shielding it from thieves. To keep up with fire code, it has drilled holes in the steel tubing which allows visual confirmation that the valve is open. Each GS-VSP comes with keyed alike locks for added convenience.



AFFORDABLE ATTRACTIVE SECURITY:

GS-VSPs are extremely affordable and blend in with the assembly seamlessly. We offer 4 models to cover 3"-12" Gate Valves with or without tamper switches and are powdercoated black to the same specifications as our enclosures.

EASY TO INSTALL:

GS-VSPs are AMAZINGLY simple to install. In less than 5 minutes you can secure your assembly. The body simply slides over the stem, then the GS-VSP-1/GS-VSP-2 are secured through the yoke while the GS-VSP-3/GS-VSP-4 are secured under the hand wheel.

Model	FOR USE WITH MOST OS&Y VALVES	WORKS W/ TAMPERS
GS-VSP-1	3" - 4"	NO
GS-VSP-2	6" -12"	NO
GS-VSP-3	3" -4"	YES
GS-VSP-4	6" -12"	YES

FOR MORE INFORMATION WWW.GUARDSHACKENCLOSURES.COM 1-800-266-5411






WE'RE ALARMED!

...with all the copper and brass theft across the country, especially with backflow assemblies. Replacing them is expensive, inconvenient, and disruptive to the people, equipment, and landscaping that needs uninterrupted service.

GuardShack has developed the first and only alarm system designed specifically for backflow enclosures. A blinking red LED light warns potential thieves that the enclosure is armed. When tampered with, it gives off an ear piercing sound. To set it off, the enclosure must be raised about three inches, which eliminates false alarms when the enclosure is locked down.

Features:

- Low Cost
- Easy to Install
- Retrofits to existing GuardShack units (clamshell models require 2)
- Battery powered (no trenching, no electrical lines, no electricians)
- Easy to maintain (change batteries once a year when device is serviced or tested)
- Tamper resistant (trying to disable device will set it off)
- Constantly blinking red LED light discourages would-be thieves
- Keyed on/off for service
- Ultraviolet and moisture resistant case
- Includes all mounting hardware
- Patented



Warranty: BPDI-GuardShack warranties this product for one (1) year from the date of purchase to be free of defects in material and workmanship. All claims must be made known to BPDI-GuardShack in writing within 30 days of the defect becoming known to the purchaser. There are no warranties that extend beyond those described herein, either expressed or implied. BPDI-GuardShack reserves the sole right, at it's own option to repair or replace any defective product, and shall exclude any damage caused by accident, misuse or abuse of the product. In no case shall BPDI-GuardShack be liable for any incidental or consequential damages what-so-ever.



www.GuardShackEnclosures.com 800-266-5411

GUARDSHAGK

Every Protective Enclosure Needs A Good Lock...or Two

ALL WEATHER PADLOCKS

Our high security brass and thermoplastic coated All-Weather Padlocks come with a key hole cover and "O" ring seals to help keep out dirt and debris.

Each lock has precision brass pin tumbler cylinders for smooth operation, and comes included with 2 keys.

AVAILABLE IN:

Single Packs, Keyed-Different ORDER CODE #GS-AWPKD

Double Packs, Keyed-Alike

Single Packs are perfect for Hinged model enclosures.

Double Packs are perfect for Lift-off, Tall Hinged
and Clamshell model enclosures.

GuardShack Enclosures
1-800-266-5411
WWW.GUARDSHACKENCLOSURES.COM

